

KÖSLER

ARTHROSCOPY

Laminectomy Punches
Laminektomiestanzen



Laminectomy Punches



Laminektomiestanzen Laminectomy Punches


Pinzas cortantes para laminectomía
Pinces emporte-pièces à laminectomie
Pinze taglienti per laminectomia

Art.Nr. Beschreibung | Description Size Spez.

KERRISON



clean wave



	Bissbreite Width of bite	Schaftlänge Length of shaft		
		18 cm; 7.2"	20 cm; 8"	23 cm; 9.2"
40°	1 mm	240-071-01-CW T CC	240-072-01-CW T CC	240-073-01-CW T CC
	ohne Auswerfer without ejector sin expulsor sans éjecteur senza espulsore			
40°	2 mm	240-071-02A-CW T CC	240-072-02A-CW T CC	240-073-02A-CW T CC
40°	3 mm	240-071-03A-CW T CC	240-072-03A-CW T CC	240-073-03A-CW T CC
40°	4 mm	240-071-04A-CW T CC	240-072-04A-CW T CC	240-073-04A-CW T CC
40°	5 mm	240-071-05A-CW T CC	240-072-05A-CW T CC	240-073-05A-CW T CC
	mit Auswerfer with ejector con expulsor avec éjecteur con espulsore			

ORDERING DETAILS

Options:

How to order Rongeurs with ejector?

A add a "A" to the item number

How to order Rongeurs with thin foot?

T add a "T" to the item number

How to order Rongeurs with ceramic coating?

CC add a "CC" to the item number

Example:

You would like to order the 240-071-03 with ejector and ceramic coating?

Order number: 240-071-03ACC


KÖSLER

ARTHROSCOPY

Laminectomy Punches

Art.Nr. Beschreibung | Description Size Spez.

LOVE KERRISON




	Bissbreite Width of bite	Schaftlänge Length of shaft	
		18,0 cm; 7,2"	20,0 cm; 8"
90°	2 mm	240-001-02	240-002-02
90°	3 mm	240-001-03	240-002-03
90°	4 mm	240-001-04	240-002-04
90°	5 mm	240-001-05	240-002-05
90°	6 mm	240-001-06	240-002-06

mit Auswerfer | with ejector | con expulsor | avec éjecteur | con espulsore

LOVE KERRISON

	Bissbreite Width of bite	Schaftlänge Length of shaft		
		18,0 cm; 7,2"	20,0 cm; 8"	23,0 cm; 9,2"
40°	2 mm	240-021-02	240-022-02	240-023-02
40°	3 mm	240-021-03	240-022-03	240-023-03
40°	4 mm	240-021-04	240-022-04	240-023-04
40°	5 mm	240-021-05	240-022-05	240-023-05
40°	6 mm	240-021-06	240-022-06	240-023-06




ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

Laminectomy Punches

Art.Nr. Beschreibung | Description Size Spez.


LOVE KERRISON



	Bissbreite Width of bite	Schaftlänge Length of shaft	
		18,0 cm; 7,2"	20,0 cm; 8"
40°	2 mm	240-121-02	240-122-02
40°	3 mm	240-121-03	240-122-03
40°	4 mm	240-121-04	240-122-04
40°	5 mm	240-121-05	240-122-05
40°	6 mm	240-121-06	240-122-06

ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

KERRISON MODIFIZ.




	Bissbreite Width of bite	Schaftlänge Length of shaft
		20,0 cm; 8"
40°	2 mm	240-272-02 T CC
40°	3 mm	240-272-03 T CC
40°	4 mm	240-272-04 T CC
40°	5 mm	240-272-05 T CC

ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

Laminectomy Punches


Art.Nr. Beschreibung | Description Size Spez.

KERRISON



	Bissbreite Width of bite	Schaftlänge Length of shaft		
		18,0 cm; 7,2"	20,0 cm; 8"	23,0 cm; 9,2"
40°	1 mm	240-071-01 T CC	240-072-01 T CC	240-073-01 T CC
	ohne Auswerfer without ejector sin expulsor sans éjecteur senza espulsore			
40°	2 mm	240-071-02 A T CC	240-072-02 A T CC	240-073-02 A T CC
40°	3 mm	240-071-03 A T CC	240-072-03 A T CC	240-073-03 A T CC
40°	4 mm	240-071-04 A T CC	240-072-04 A T CC	240-073-04 A T CC
40°	5 mm	240-071-05 A T CC	240-072-05 A T CC	240-073-05 A T CC
40°	6 mm	240-071-06 A T CC	240-072-06 A T CC	– A T CC

KERRISON




	Bissbreite Width of bite	Schaftlänge Length of shaft		
		18,0 cm; 7,2"	20,0 cm; 8"	23,0 cm; 9,2"
90°	1 mm	240-051-01 T CC	240-052-01 T CC	–
	ohne Auswerfer without ejector sin expulsor sans éjecteur senza espulsore			
90°	2 mm	240-051-02 T CC	240-052-02 T CC	240-053-02 T CC
90°	3 mm	240-051-03 T CC	240-052-03 T CC	240-053-03 T CC
90°	4 mm	240-051-04 T CC	240-052-04 T CC	240-053-04 T CC
90°	5 mm	240-051-05 T CC	240-052-05 T CC	240-053-05 T CC
90°	6 mm	240-051-06 T CC	240-052-06 T CC	–
	mit Auswerfer with ejector con expulsor avec éjecteur con espulsore			

Laminectomy Punches

Art.Nr. Beschreibung | Description Size Spez.


KERRISON



	Bissbreite Width of bite	Schaftlänge Length of shaft	
		18,0 cm; 7,2"	20,0 cm; 8"
40°	2 mm	240-081-02	–
40°	3 mm	240-081-03	240-082-03
40°	4 mm	240-081-04	240-082-04
40°	5 mm	240-081-05	240-082-05
40°	6 mm	240-081-06	–

ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

KERRISON




	Bissbreite Width of bite	Schaftlänge Length of shaft	
		18,0 cm; 7,2"	20,0 cm; 8"
90°	2 mm	240-061-02	240-062-02
90°	3 mm	240-061-03	240-062-03
90°	4 mm	240-061-04	240-062-04
90°	5 mm	240-061-05	240-062-05
90°	6 mm	240-061-06	240-062-06

mit Auswerfer | with ejector | con expulsor | avec éjecteur | con espulsore

Laminectomy Punches

Art.Nr. Beschreibung | Description Size Spez.


KERRISON



	Bissbreite Width of bite	Schaftlänge Length of shaft
		18,0 cm; 7,2"
90°	5 mm	240-351-05

mit Auswerfer | with ejector | con expulsor | avec éjecteur | con espulsore

KERRISON



	Bissbreite Width of bite	Schaftlänge Length of shaft	
		18,0 cm; 7,2"	20,0 cm; 8"
40°	3 mm	240-371-03	240-372-03
40°	5 mm	240-371-05	240-372-05

ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

Laminectomy Punches

Art.Nr. Beschreibung | Description Size Spez.


KERRISON



	Bissbreite Width of bite	Schaftlänge Length of shaft
		20,0 cm; 8"
40°	2 mm	240-072-02-GEB
40°	3 mm	240-072-03-GEB
40°	4 mm	240-072-04-GEB
40°	5 mm	240-072-05-GEB

ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

BAJONETT



	Bissbreite Width of bite	Schaftlänge Length of shaft
		16,0 cm; 6,4"
40°	2 mm	240-090-02 T CC
40°	3 mm	240-090-03 T CC
40°	4 mm	240-090-04 T CC
40°	5 mm	240-090-05 T CC

ohne Auswerfer | without ejector | sin expulsor | sans éjecteur | senza espulsore

Bandscheiben-Rongeur IVD Rongeurs

Pinzas para laminectomía
Pincers pour laminectomie
Pinze per laminectomia

Art.Nr. Beschreibung | Description Size Spez.

BAJONETT



Bissbreite Width of bite	Schaftlänge Length of shaft
	16,0 cm; 6,4"
2 x 8 mm	240-590-02 T CC
3 x 9 mm	240-590-03 T CC
4 x 10 mm	240-590-04 T CC

gerade | straight | recta | droite | retta

Bissbreite Width of bite	Schaftlänge Length of shaft
	16,0 cm; 6,4"
2 x 8 mm	240-591-02 CC
3 x 9 mm	240-591-03 CC
4 x 10 mm	240-591-04 CC



aufgebogen | angled up | angulado hacia arriba | courbe en haute | angolata in alto

IVD Rongeurs

Art.Nr. Beschreibung | Description Size Spez.

CASPAR



clean wave



Bissbreite Width of bite	Schaftlänge Length of shaft
	18,5 cm; 7,4"
2 x 12 mm	240-511-02-CW
3 x 12 mm	240-511-03-CW
4 x 14 mm	240-511-04-CW

gerade | straight | recta | droite | retta

Bissbreite Width of bite	Schaftlänge Length of shaft
	18,5 cm; 7,4"
2 x 12 mm	240-515-02-CW
3 x 12 mm	240-515-03-CW
4 x 14 mm	240-515-04-CW



aufgebogen | angled up | angulado hacia arriba | courbe en haute | angolata in alto

Bissbreite Width of bite	Schaftlänge Length of shaft
	18,5 cm; 7,4"
2 x 12 mm	240-518-02-CW
3 x 12 mm	240-518-03-CW
4 x 14 mm	240-518-04-CW



abgebogen | angled down | angulado hacia abajo | courbe en bas | angolata in basso






Bandscheiben-Rongeurs

IVD Rongeurs

Pinzas para laminectomía

Pinces pour laminectomie

Pinze per laminectomia


Art.Nr.	Beschreibung Description			Size	Spez.
					
Schaftlänge Length of shaft	Bissbreite Width of bite			gerade straight recta droite retta	
	2 x 10 mm CUSHING	3 x 10 mm LOVE-GRÜNWALD	4 x 10 mm SPURLING		
13 cm; 5.2"	240-550-02	240-550-03	240-550-04		
15 cm; 6"	240-551-02	240-551-03	240-551-04		
18 cm; 7.2"	240-552-02	240-552-03	240-552-04		
23 cm; 9.2"	240-554-02	240-554-03	240-554-04		
28 cm; 11.2"	240-557-02	240-557-03	240-557-04		
Schaftlänge Length of shaft	Bissbreite Width of bite			aufgebogen angled up angulado hacia arriba courbe en haute angolata in alto	
	2 x 10 mm CUSHING	3 x 10 mm LOVE-GRÜNWALD	4 x 10 mm SPURLING		
13 cm; 5.2"	240-600-02	240-600-03	240-600-04		
15 cm; 6"	240-601-02	240-601-03	240-601-04		
18 cm; 7.2"	240-602-02	240-602-03	240-602-04		
23 cm; 9.2"	240-604-02	240-604-03	240-604-04		
28 cm; 11.2"	240-607-02	240-607-03	240-607-04		
Schaftlänge Length of shaft	Bissbreite Width of bite			abgebogen angled down angulado hacia abajo courbe en bas angolata in basso	
	2 x 10 mm CUSHING	3 x 10 mm LOVE-GRÜNWALD	4 x 10 mm SPURLING		
13 cm; 5.2"	240-650-02	240-650-03	240-650-04		
15 cm; 6"	240-651-02	240-651-03	240-651-04		
18 cm; 7.2"	240-652-02	240-652-03	240-652-04		
23 cm; 9.2"	240-654-02	240-654-03	240-652-04		
28 cm; 11.2"	240-657-02	240-657-03	240-657-04		


IVD Rongeurs


Art.Nr. Beschreibung | Description Size Spez.

CASPAR



Bissbreite Width of bite	Schaftlänge Length of shaft			gerade straight recta droite retta
	14 cm; 5.6"	16 cm; 6.4 "	18.5 cm; 7.4"	
2 x 12 mm	240-509-02	240-510-02	240-511-02	
3 x 12 mm	240-509-03	240-510-03	240-511-03	
4 x 14 mm	240-509-04	240-510-04	240-511-04	
5 x 14 mm	–	240-510-05	240-511-05	
6 x 16 mm	–	240-510-06	240-511-06	




Bissbreite Width of bite	Schaftlänge Length of shaft			aufgebogen angled up angulado hacia arriba courbe en haute angolata in alto
	14 cm; 5.6"	16 cm; 6.4 "	18.5 cm; 7.4"	
3 x 12 mm	240-513-03	240-514-03	240-515-03	
4 x 14 mm	240-513-04	240-514-04	240-515-04	
5 x 14 mm	–	240-514-05	240-515-05	

Bissbreite Width of bite	Schaftlänge Length of shaft			abgebogen angled down angulado hacia abajo courbe en bas angolata in basso
	14 cm; 5.6"	16 cm; 6.4 "	18.5 cm; 7.4"	
3 x 12 mm	240-516-03	240-517-03	240-518-03	
4 x 14 mm	240-516-04	240-517-04	240-518-04	

IVD Rongeurs

Art.Nr. Beschreibung | Description Size Spez.



Schaftlänge Length of shaft	Bissbreite Width of bite			gerade straight recta droite retta
	2 x 10 mm CUSHING	3 x 10 mm LOVE-GRÜNWALD	4 x 10 mm SPURLING	
13 cm; 5.2"	240-550-02	240-550-03	240-550-04	
15 cm; 6"	240-551-02	240-551-03	240-551-04	
18 cm; 7.2"	240-552-02	240-552-03	240-552-04	
23 cm; 9.2"	240-554-02	240-554-03	240-554-04	
28 cm; 11.2"	240-557-02	240-557-03	240-557-04	
Schaftlänge Length of shaft	Bissbreite Width of bite			aufgebogen angled up angulado hacia arriba courbe en haute angolata in alto
	2 x 10 mm CUSHING	3 x 10 mm LOVE-GRÜNWALD	4 x 10 mm SPURLING	
13 cm; 5.2"	240-600-02	240-600-03	240-600-04	
15 cm; 6"	240-601-02	240-601-03	240-601-04	
18 cm; 7.2"	240-602-02	240-602-03	240-602-04	
23 cm; 9.2"	240-604-02	240-604-03	240-604-04	
28 cm; 11.2"	240-607-02	240-607-03	240-607-04	
Schaftlänge Length of shaft	Bissbreite Width of bite			abgebogen angled down angulado hacia abajo courbe en bas angolata in basso
	2 x 10 mm CUSHING	3 x 10 mm LOVE-GRÜNWALD	4 x 10 mm SPURLING	
13 cm; 5.2"	240-650-02	240-650-03	240-650-04	
15 cm; 6"	240-651-02	240-651-03	240-651-04	
18 cm; 7.2"	240-652-02	240-652-03	240-652-04	
23 cm; 9.2"	240-654-02	240-654-03	240-652-04	
28 cm; 11.2"	240-657-02	240-657-03	240-657-04	





Bandscheiben-Rongeurs

IVD Rongeurs

Pinzas para laminectomía

Pinces pour laminectomie

Pinze per laminectomia

Art.Nr.	Beschreibung Description			Size	Spez.
				18,0 cm; 7,2"	
					
	gerade straight recta droite retta angolata in alto	aufgebogen angled up angulado arriba courbe en haute angolata in basso	abgebogen angled down angulado abajo courbe en bas angolatain basso		
2 x 10 mm CUSHING	240-562-02	240-612-02	240-662-02		
3 x 10 mm LOVE-GRÜNWALD	240-562-03	240-612-03	240-662-03		
4 x 10 mm SPURLING	240-562-04	240-612-04	240-662-04		

Weitere Artikel Further Items

Adicionales artículos

Plus des articles

Altri articoli

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-012-02	LOVE KERRISON Rongeur; 90° down cut; 15 mm open 2 mm; with ejector	20,0 cm; 8"	
240-012-03	3 mm; with ejector		
240-012-04	4 mm; with ejector		
240-012-05	5 mm; with ejector		
240-022-01	LOVE KERRISON Rongeur; 40° up cut; 15 mm open 1mm; without ejector	20,0 cm; 8"	
240-025-02	LOVE KERRISON Rongeur; 40° up cut; 15 mm open 2 mm; without ejector	28,0 cm; 11,2"	
240-025-03	3 mm; without ejector		
240-025-04	4 mm; without ejector		
240-025-05	5 mm; without ejector		
240-025-06	6 mm; without ejector		
240-053-06	KERRISON Rongeur; 90° up cut; 10 mm open 6 mm; with ejector	23,0 cm; 9,2"	
240-073-06	KERRISON Rongeur; 40° up cut; 10 mm open 6 mm; without ejector	23,0 cm; 9,2"	
240-073-06A	6 mm; with ejector		
240-073-06AT	6 mm; with ejector; thin footplate		
240-073-06T	6 mm; without ejector; thin footplate		
240-074-02	KERRISON Rongeur; 40° up cut; 10 mm open 2 mm; without ejector	25,0 cm; 10"	
240-074-03	3 mm; without ejector		
240-074-04	4 mm; without ejector		
240-074-05	5 mm; without ejector		
240-074-06	6 mm; without ejector		
240-075-02	KERRISON Rongeur; 40° up cut; 10 mm open 2 mm; without ejector	28,0 cm; 11,2"	
240-075-03	3 mm; without ejector		
240-075-04	4 mm; without ejector		
240-075-05	5 mm; without ejector		
240-075-06	KERRISON Rongeur; 40° up cut; 10 mm open 6 mm; without ejector	28,0 cm; 11,2"	
240-081-01	KERRISON Rongeur; 40° down cut; 10mm open 1 mm; without ejector	18,0 cm; 7,2"	
240-081-01T	1 mm; without ejector; thin footplate		
240-081-02T	2 mm; without ejector; thin footplate		
240-081-03T	3 mm; without ejector; thin footplate		
240-081-04T	4 mm; without ejector; thin footplate		

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-122-01	LOVE KERRISON Rongeur; 40° up cut; 15 mm open 1 mm; without ejector	20,0 cm; 8"	
240-122-02T	2 mm; without ejector; thin footplate		
240-122-03T	3 mm; without ejector; thin footplate		
240-122-04T	4 mm; without ejector; thin footplate		
240-122-05T	5 mm; without ejector; thin footplate		
240-123-02	LOVE KERRISON Rongeur; 40° up cut; 15 mm open 2 mm; without ejector	23,0 cm; 9,2"	
240-123-03	3 mm; without ejector		
240-123-04	4 mm; without ejector		
240-123-05	5 mm; without ejector		
240-123-06	6 mm; without ejector		
240-271-01	KERRISON MODIFIZ. Rongeur; 40° up cut; 15 mm open 1 mm; without ejector	18,0 cm; 7,2"	
240-271-02	2 mm; without ejector		
240-271-03	3 mm; without ejector		
240-271-05	5 mm; without ejector		
240-361-05	KERRISON Rongeur; 90° down cut; 5 mm; with ejector Kerrison ring handle; 10 mm open	18,0 cm; 7,2"	
240-371-04	KERRISON Rongeur; 40° up cut; 4 mm; without ejector Kerrison ring hand; 10 mm open	18,0 cm; 7,2"	
240-471-02	ARKIMED ONE Rongeur; 40° up cut; 10 mm open 2 mm; with ejector	18,0 cm; 7"	
240-471-03	3 mm; with ejector		
240-471-04	4 mm; with ejector		
240-471-05	5 mm; with ejector		
240-471-06	6 mm; with ejector		
240-511-02CC	CASPAR Disc Rongeur; CC-coated straight; 2 x 12 mm; toothed	18,5 cm; 7,4"	
240-511-03CC	straight; 3 x 12 mm; toothed		
240-511-04CC	straight; 4 x 14 mm; toothed		
240-511-05-CW	CW-CASPAR Disc Rongeur straight; 5 x 14 mm; toothed	18,5 cm; 7,4"	
240-511-06-CW	straight; 6 x 16 mm; toothed		
240-515-02	angled up; 2 x 12 mm; toothed		
240-518-02	angled down; 2 x 12 mm; toothed		
240-522-03	angled down; 3 x 12 mm; toothed		
240-522-04	angled down; 4 x 14 mm; toothed		
240-530-18	CASPAR Osteophyte Rongeur; straight; 4 mm	18,0 cm; 7,2"	
240-536-00	FERRIS SMITH Disc Rongeur; straight; 8 x 16 mm	25,0 cm; 10"	

Weitere Artikel Further Items

Adicionales artículos

Plus des articles

Altri articoli

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-540-25 240-545-25	SYPERT Disc Rongeur straight; 5,5 mm 30° angled up; 5,5 mm	25,5 cm; 10"	
240-550-04/7	POPPEN Disc Rongeur; straight; 4 x 7 mm	13,0 cm; 5,2"	
240-552-01	CUSHING Disc Rongeur; straight; 1 x 10 mm	18,0 cm; 7,2"	
240-552-01CC 240-552-02CC	CUSHING Disc Rongeur; CC-coated straight; 1 x 10 mm straight; 2 x 10 mm	18,0 cm; 7,2"	
240-552-03CC	LOVE-GRÜNWALD Disc Rongeur straight; 3 x 10 mm; CC-coated	18,0 cm; 7,2"	
240-552-03CC-CW	CW-LOVE-GRÜNWALD Disc Rongeur; straight; 3 x 10 mm CC-coated	18,0 cm; 7,2"	
240-552-04/7	POPPEN Disc Rongeur; straight; 4 x 7 mm	18,0 cm; 7,2"	
240-552-04CC	SPURLING Disc Rongeur; straight; 4 x 10mm CC-coated	18,0 cm; 7,2"	
240-552-04CC-CW	CW-SPURLING Disc Rongeur; straight; 4 x 10 mm CC-coated	18,0 cm; 7,2"	
240-553-02	CUSHING Disc Rongeur; straight; 2 x 10 mm	20,0 cm; 8"	
240-553-02-CW	CW-CUSHING Disc Rongeur; straight; 2 x 10 mm	20,0 cm; 8"	
240-553-03	LOVE-GRÜNWALD Disc Rongeur; straight; 3 x 10 mm	20,0 cm; 8"	
240-553-03-CW	CW-LOVE-GRÜNWALD Disc Rongeur; straight; 3 x 10 mm	20,0 cm; 8"	
240-553-04	SPURLING Disc Rongeur; straight; 4 x 10 mm	20,0 cm; 8"	
240-553-04-CW	CW-SPURLING Disc Rongeur; straight; 4 x 10 mm	20,0 cm; 8"	
240-555-02	CUSHING Disc Rongeur; straight; 2 x 10 mm	25,0 cm; 10"	
240-555-03	LOVE-GRÜNWALD Disc Rongeur; straight; 3 x 10 mm	25,0 cm; 10"	
240-555-04	SPURLING Disc Rongeur; straight; 4 x 10 mm	25,0 cm; 10"	
240-557-04/7	POPPEN Disc Rongeur; straight; 4 x 7 mm	28,0 cm; 11,2"	
240-558-02	CUSHING Disc Rongeur; straight; 2 x 10 mm	30,0 cm; 12"	
240-558-02-CW	CW-CUSHING Disc Rongeur; straight; 2 x 10 mm	30,0 cm; 12"	

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-558-03	LOVE-GRÜNWALD Disc Rongeur; straight; 3 x 10 mm	30,0 cm; 12"	
240-558-03-CW	CW-LOVE-GRÜNWALD Disc Rongeur; straight; 3 x 10 mm	30,0 cm; 12"	
240-558-04	SPURLING Disc Rongeur; straight; 4 x 10 mm	30,0 cm; 12"	
240-558-04/7	POPPEN Disc Rongeur; straight; 4 x 7 mm	30,0 cm; 12"	
240-558-04-CW	CW-SPURLING Disc Rongeur; straight; 4 x 10 mm	30,0 cm; 12"	
240-570-04	JACKSON Disc Rongeur; 70° angled up; 4 x 8 mm	17,8 cm; 7"	
240-580-25	WILDE Disc Rongeur straight; 2,5 mm; fenestrated jaws	14,0 cm; 5,6"	
240-580-30	straight; 3 mm; fenestrated jaws		
240-580-40	straight; 4 mm; fenestrated jaws		
240-580-50	straight; 5 mm; fenestrated jaws		
240-580-60	straight; 6 mm; fenestrated jaws		
240-581-40	WEIL-BLAKESLEY Mod; Disc Rongeur; 45° angled down 4 mm; fenestrated jaws	18,0 cm; 7,2"	
240-584-25	WILDE Disc Rongeur straight; 2,5 mm; fenestrated jaws	18,0 cm; 7,2"	
240-584-30	straight; 3,0 mm; fenestrated jaws		
240-584-35	straight; 3,5 mm; fenestrated jaws		
240-584-40	straight; 4,0 mm; fenestrated jaws		
240-584-45	straight; 4,5 mm; fenestrated jaws		
240-584-50	straight; 5,0 mm; fenestrated jaws		
240-584-55	straight; 5,5 mm; fenestrated jaws		
240-584-60	straight; 6,0 mm; fenestrated jaws		
240-587-30	WEIL-BLAKESLEY Mod; Disc Rongeur 45° angled up; 2,5 mm; fenestrated jaws	18,0 cm; 7,2"	
240-587-40	45° angled up; 4,0 mm; fenestrated jaws		
240-588-40	WILDE Disc Rongeur straight; 4 mm; fenestrated jaws	23,0 cm; 9,2"	
240-588-50	straight; 5 mm; fenestrated jaws		
240-588-60	straight; 6 mm; fenestrated jaws		
240-602-02CC-CW	CW-CUSHING Disc Rongeur; angled up; 2 x 10 mm, CC-coated	18,0 cm; 7,2"	
240-602-03CC-CW	CW-LOVE-GRÜNWALD Disc Rongeur angled up; 3 x 10 mm, CC-coated	18,0 cm; 7,2"	
240-602-04CC-CW	CW-SPURLING Disc Rongeur angled up; 4 x 10 mm, CC-coated	18,0 cm; 7,2"	

Altri articoli

Other items available but not illustrated

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-634-25	WILDE Disc Rongeur angled up; 2,5 mm; fenestrated jaws	18,0 cm; 7,2"	
240-634-30	angled up; 3 mm; fenestrated jaws		
240-634-40	angled up; 4 mm; fenestrated jaws		
240-634-50	angled up; 5 mm; fenestrated jaws		
240-640-40	JACKSON Disc Rongeur; 70° angled up; 4 x 8 mm	17,8 cm; 7"	
240-650-04/7	POPPE Disc Rongeur; angled down; 4 x 7 mm	13,0 cm; 5,2"	
240-652-04/7	POPPE Disc Rongeur; angled down; 4 x 7 mm	18,0 cm; 7,2"	
240-654-04/7	POPPE Disc Rongeur; angled down; 4 x 7 mm	23,0 cm; 9,2"	
240-655-02	CUSHING Disc Rongeur; angled down; 2 x 10 mm	25,0 cm; 10"	
240-655-03	LOVE-GRÜNWARD Disc Rongeur; angled down; 3 x 10 mm	25,0 cm; 10"	
240-655-04	SPURLING Disc Rongeur; angled down; 4 x 10 mm	25,0 cm; 10"	
240-658-02	CUSHING Disc Rongeur; angled down; 2 x 10 mm	30,0 cm; 12"	
240-658-02-CW	CW-CUSHING Disc Rongeur; angled down; 2 x 10 mm	30,0 cm; 12"	
240-658-03	LOVE-GRÜNWARD Disc Rongeur; angled down; 3 x 10 mm	30,0 cm; 12"	
240-658-03-CW	CW-LOVE-GRÜNWARD Disc Rongeur; angled down 3 x 10 mm	30,0 cm; 12"	
240-658-04	SPURLING Disc Rongeur; angled down; 4 x 10 mm	30,0 cm; 12"	
240-658-04/7	POPPE Disc Rongeur; angled down; 4 x 7 mm	30,0cm; 12"	
240-658-04-CW	CW-SPURLING Disc Rongeur; angled down; 4 x 10 mm	30,0 cm; 12"	
240-670-02	CASPAR Disc Rongeur straight; 2 x 10 mm	15,5 cm; 6,2"	
240-670-03	straight; 3 x 10 mm		
240-670-04	straight; 4 x 10 mm		
240-670-05	straight; 5 x 12 mm		
240-671-02	angled down; 2 x 10 mm; without groove		
240-671-03	angled down; 3 x 10 mm; without groove		
240-671-04	angled down; 4 x 10 mm; without groove		
240-671-05	angled down; 5 x 12 mm; without groove		
240-673-02	angled up; 2 x 10 mm; without groove		
240-673-03	angled up; 3 x 10 mm; without groove		
240-673-04	angled up; 4 x 10 mm; without groove		
240-673-05	angled up; 5 x 12 mm; without groove		

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-680-01 240-681-01 240-682-01	CLOWARD Disc Rongeur straight; 6 x 10 mm; toothed angled up; 6 x 10 mm; toothed angled down; 6 x 10 mm; toothed	15,0 cm; 6"	
240-692-02 240-692-03 240-692-04	SCHLESINGER Disc Rongeur straight; 2 x 10 mm; toothed straight; 3 x 10 mm; toothed straight; 4 x 10 mm; toothed	15,0 cm; 6"	
240-720-04 240-720-05 240-720-06 240-720-99	COLCLOUGH-SCHEICHER Insert only; 4,0 mm Insert only; 5,0 mm Insert only; 6,0 mm Handle only		
240-730-00	HOEN grasping forceps; straight; 1 x 2 teeth; serrated	14,0 cm; 5,6"	
240-731-06 240-733-06 240-734-06 240-735-06 240-740-05 240-740-10 240-741-05 240-741-10 240-741-20 240-743-05 240-743-10 240-743-20 240-745-05	Micro grasping forceps curved right; jaw serrated Ø 0,5 x 6 mm curved left; jaw serrated Ø 0,5 x 6 mm straight; jaw serrated Ø 0,5 x 6 mm angled up; jaw serrated Ø 0,5 x 6 mm straight; spoon jaw Ø 0,5 mm straight; spoon jaw Ø 1,0 mm curved right; spoon jaw Ø 0,5 mm curved right; spoon jaw Ø 1,0 mm curved right; spoon jaw Ø 2,0 mm curved left; spoon jaw Ø 0,5 mm curved left; spoon jaw Ø 1,0 mm curved left; spoon jaw Ø 2,0 mm angled up; spoon jaw Ø 0,5 mm	14,0 cm; 5,6"	
240-746-08 240-747-08 240-749-08	Micro Tumorschere straight; blade 8 mm curved right; blade 8 mm curved left; blade 8 mm	14,0 cm; 5,6"	
240-750-02 240-750-03	Micro grasping forceps straight; spoon jaw Ø 2,0 mm straight; spoon jaw Ø 3,0 mm	14,0 cm; 5,6"	
240-756-02	YASARGIL Hypophysektomy Forceps; straight; jaw serrated shaft Ø 2,0 mm	18,0 cm; 7,2"	
240-760-05 240-761-05 240-761-10	Micro grasping forceps straight; spoon jaw Ø 0,5 mm curved right; spoon jaw Ø 0,5 mm curved right; spoon jaw Ø 1,0 mm	17,0 cm; 6,7"	

Weitere Artikel

Further Items

Adicionales artículos

Plus des articles

Altri articoli

Art.Nr.	Beschreibung Description	Size	Spez.
Other items available but not illustrated			
240-762-02	NICOLA Hypophysektomy Scissors; straight; shaft Ø 2,0 mm	18,0 cm; 7,2"	
240-763-05	Micro grasping forceps curved left; spoon jaw Ø 0,5 mm	17,0 cm; 6,7"	
240-763-10	curved left; spoon jaw Ø 1,0 mm		
240-764-01	NICOLA Hypophysektomy Forceps straight; spoon jaw; shaft Ø 1,0 mm	18,0 cm; 7,2"	
240-764-02	straight; spoon jaw; shaft Ø 2,0 mm		
240-765-05	Micro grasping forceps angled up; spoon jaw Ø 0,5 mm	17,0 cm; 6,7"	
240-765-10	angled up; spoon jaw Ø 1,0 mm		
240-767-05	angled down; spoon jaw Ø 0,5 mm		
240-767-10	angled down; spoon jaw Ø 1,0 mm		

KÖSLER
ARTHROSCOPY

For inquiries contact OrthotrustMedical

Tel: 1- 844 - 87 8786

orders@orthotrustmedical.com

www.orthotrustmedical.com

